

## Sink bowl KE Filotop

Kitchen Sinks

Code: 2157 050



### DETAILS

|                        |                                                                 |
|------------------------|-----------------------------------------------------------------|
| Edge/Installation Type | Flush-mount   Top-mount                                         |
| Finish                 | Foster brushed                                                  |
| Material               | AISI 304 stainless steel                                        |
| Texture                | Foster brushed                                                  |
| Base                   | 80 cm                                                           |
| Dimensions             | 750 x 440 mm                                                    |
| Standard fittings      | Fixing hooks, gasket, drain, overflow and siphon, boxed packing |
| Mixer holes            | No standard holes                                               |
| Built-in hole          | View technical data sheet                                       |

|         |    |
|---------|----|
| Drainer | No |
|---------|----|

|       |       |
|-------|-------|
| Width | 75 cm |
|-------|-------|

|                |              |
|----------------|--------------|
| Bowl dimension | 710 x 400 mm |
|----------------|--------------|

|                 |        |
|-----------------|--------|
| Number of bowls | 1 bowl |
|-----------------|--------|

|               |            |
|---------------|------------|
| Waste fitting | 3,5" drain |
|---------------|------------|

## FEATURES


|                           |                                                                                                                          |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Basket 3,5" waste fitting | The drain is equipped with a large 3.5" drain, with the practical basket cap that prevents the discharge of solid parts. |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------|


|                |                                                                                                   |
|----------------|---------------------------------------------------------------------------------------------------|
| High thickness | 1mm thick steel. A significant thickness, which guarantees the maximum sturdiness and durability. |
|----------------|---------------------------------------------------------------------------------------------------|

|                     |                                                                                                                                                                                                             |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Perimetral overflow | The overflow is always a security on the Foster sinks that prevents the overflow of water in case of oversights. The perimeter drain solution improves aesthetics thanks to its square and essential shape. |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|


|              |                                                                                                                                            |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Small radius | Bowls with squared shapes with a modern design and an increased capacity, for a minimal aesthetics connected with an extreme practicality. |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------|

## TECHNICAL DATA





Intaglio per il troppo-pieno  
Recess for housing the over-flow



- Built-in cut out for FTS – Foratura per installazione FTS

## OPTIONAL ACCESSORIES



**Cestello inox**  
8612 000




**Glass chopping board**  
8631 300



**HDPE Chopping board**  
8657 001



**HPDE Twin chopping board**  
8644 101



**Stainless steel plate rack**  
8100 303  
\* only in combination with the accessory  
8644 101



**Stainless steel plate rack**  
8100 201



**Stainless steel plate rack only  
usable in combination with the  
accessories 8644 003**  
8100 154



**White bowl**  
8153 100



**Graters kit with ring-holder and  
food collection tray**  
8159 101  
\* only in combination with the accessory  
8644 101



**Stainless steel perforated tray**  
8151 000  
\* only in combination with the accessory  
8644 101

## RECOMMENDED PAIRINGS



**Mixer Tap Bert**  
8428 100



**Mixer Tap KE**  
8492 000

## OPTIONAL AUTOMATIC WASTE FITTINGS



**Automatic waste fitting - PM**  
8407 113



**Space automatic waste fitting - PA**  
8407 108



**Space automatic waste fitting - PE**  
8407 109



**Space Light automatic waste fitting  
- PL**  
8407 117



**Space Milano automatic waste  
fitting**  
8407 115



**Space Push automatic waste fitting  
- PP**  
8407 116