

### Sink Skin 530 Copper Undermount

Kitchen Sinks

Code: 4453 848



#### DETAILS

| Coloring               | Copper  |
|------------------------|---|
| Edge/Installation Type | Undermount  |
| Finish                 | PVD   |
| Material               | AISI 304 stainless steel  |
| Texture                | Foster brushed  |
| Base                   | 60 cm   |
| Dimensions             | 570x440 mm  |
| Standard fittings      | Fixing hooks, gasket, drain, overflow and siphon, boxed packing |
| Mixer holes            | No standard holes   |


| Built-in hole   | View technical data sheet  |
|-----------------|--|
| Drainer         | No   |
| Width           | 57 cm  |
| Bowl dimension  | 530x400mm  |
| Number of bowls | 1 bowl   |
| Waste fitting   | Drain SPACE 3,5"   |
| Notes:          | As the product consists of a single seamless steel surface with no gaps or interstices, the use of garbage disposal and waste fitting with automatic control is not permitted. |


#### FEATURES

| Copper                        | The Copper finish is obtained by treating steel with a physical process called PVD (Phisical Vacuum Deposition) which deposits particles of noble metals on the surface. The result is a unique and refined aesthetic effect, and an improvement of the mechanical properties of the steel which is more resistant to impact and scratches. |
|-------------------------------|---|
| ONE SEAMLESS STEEL<br>SURFACE | The waste-fitting and overflow are moulded on the sink. The product is therefore made out of one seamless steel surface, without gaps or interstices. A great plus in terms of hygiene.   |
| Deep bowls                    | This bowls reach an important depth, over 20 cm, thanks to the advanced production technology, that can be offer great capiency and practicity in all the washing operations.   |
| High thickness                | 1mm thick steel. A significant thickness, which guarantees the maximum sturdiness and durability.   |
| Perimetral overflow           | The overflow is always a security on the Foster sinks that prevents the overflow of water in case of oversights. The perimeter drain solution improves aesthetics thanks to its square and essential shape.   |

| Save space system   | Drain and siphon are designed to leave as much space as possible in the under-sink area, more and more useful today for theseparate waste collection systems.   |
|---------------------|---|
| Small radius        | Bowls with squared shapes with a modern design and an increased capacity, for a minimal aesthetics connected with an extreme practicity.  |
| Space waste fitting | The elegant SPACE steel cap closes the drain and leaves no visible residues collected in the basket below. Space also has a small footprint and allows the optimal use of the under-sink compartment. |


### **TECHNICAL DATA**





Sottotop Undermount

#### GALLERY



#### **OPTIONAL ACCESSORIES**



**Glass chopping board** 8631 300



Iroko-wood sliding chopping board with stainless steel colander 8644 044



Stainless steel basket 8611 000



HPDE Twin chopping board 8644 101



White bowl 8153 100



Graters kit with ring-holder and food collection tray 8159 101

\* only in combination with the accessory 8644 101



Stainless steel perforated tray 8151 000 \* only in combination with the accessory 8644 101



Stainless steel plate rack 8100 303 \* only in combination with the accessory 8644 101



Stainless steel plate rack 8100 201

Foster S.p.A. Via M.S. Ottone, 18-20 42041 Brescello (Reggio Emilia) - Italy

#### **RECOMMENDED PAIRINGS**



Mixer Tap Skin Copper 8424 858



VELA PLUS COPPER satin 8498 128