



## **Cooker hob Power Glass**

Gas hobs

Code: 7042 632



## **DETAILS**

| Gas Hob              |
|----------------------|
| Standard (8 mm Edge) |
| Tempered glass       |
| Black                |
| Five burners         |
| 60 cm                |
| 70 cm                |
| 700 x 510 mm         |
| 560 x 480 mm         |
|                      |



| Supply          | 220 - 240 V; 50/60 Hz  |
|-----------------|--|
| Total power     | 10.950 W   |
| Auxiliary       | 1.000 W  |
| Semirapid       | 1.750 W + 1.400 W (reduced)  |
| Rapid           | 2.800 W  |
| Double crown    | 4.000 W  |
| Grids           | Cast iron grids and enamelled burner covers  |
| Ignition        | Electric ignition under knob   |
| Safety          | Safety valve with quick-acting thermocouple  |
| Gas type        | Tested for installation with natural gas, LPG nozzle set included.   |
| FEATURES        |  |
| Cast iron grids | Cast-iron is the ideal material for an hob grid, this due to the manifold properties characterising it: high heat capacity that improves cooking performance; high weight and stability that improve safety; sturdiness that preserves the hob's original aspect over time; easy cleaning. |
| Narrow cut-out  | These 5 burners products for standard built-in installation require a cut-out of only 56 cm, i.e. less than their nominal width. This makes them an interesting alternative for 60 cm models, which usually require the same cut-out.  |
| Safe cooking    | All Foster cooker hobs are equipped with safety valves. They shut off the gas supply very quickly if the flame accidentally goes out.  |



Special burners

Many Foster hobs are equipped with special burners, with two or three rings of fire that greatly increase the power delivered and the heated surface. In the DUAL models the two fire crowns also have independent ignition, making these burners perfect for both intensive and delicate cooking.

Under-knob ignition

The utmost freedom of movement with electronic under-knob ignition, a common feature of all models that allows a one-hand ignition of the burner.

## **TECHNICAL DATA**

