



Cooker hob Professionale

Gas hobs

Code: 7055 062



DETAILS

| Edge/Installation Type | Standard (8 mm Edge) |
|------------------------|--------------------------|
| Finish | Foster brushed |
| Material | AISI 304 stainless steel |
| Texture | Brushed in line |
| Supply | 220-240 V; 50/60 Hz |
| Dimensions | 860x500 mm |
| Base size | 90cm |
| Heating element | Five burners |
| Built-in hole | 840x480 mm |



| Grids | Cast iron grids and enamelled burner covers |
|---------------------|--|
| Width | 86 cm |
| Total power | 10.700 W |
| Auxiliary | 1.000 W |
| Semirapid | 2x1.750 W |
| Rapid | 2.700 W |
| Triple crown | 3.500 W |
| Safety | Safety valve with quick-acting thermocouple |
| Ignition | Electric ignition under knob |
| Gas type | Tested for installation with natural gas, LPG nozzle set included. |
| Туре | Gas Hob |
| FEATURES | |
| Under-knob ignition | The utmost freedom of movement with electronic under-knob ignition, a common feature of all models that allows a one-hand ignition of the burner. |
| Special burners | Many Foster hobs are equipped with special burners, with two or three rings of fire that greatly increase the power delivered and the heated surface. In the DUAL models the two fire crowns also have independent ignition, making these burners perfect for both intensive and delicate cooking. |




Safe cooking

All Foster cooker hobs are equipped with safety valves. They shut off the gas supply very quickly if the flame accidentally goes out.

Cast iron grids

Cast-iron is the ideal material for an hob grid, this due to the manifold properties characterising it: high heat capacity that improves cooking performance; high weight and stability that improve safety; sturdiness that preserves the hob's original aspect over time; easy cleaning.

TECHNICAL DATA





GALLERY





OPTIONAL ACCESSORIES



Cast iron wok support 9601 668