



# Cooker hob S4000 Domino Induction

Induction Hobs

Code: 7325 455



## DETAILS

Coloring	Black
Edge/Installation Type	Standard (8 mm Edge)
Material	Stainless steel + ceramic glass
Supply	Single-phase: 230 V; 1P + N; 50.60 Hz
Temperature control	Electronic 50 - 220 °C
Dimensions	380x520 mm
Base size	45cm
Full description	Induction hob Teppanyaki - straight edge for sopratop installation
Heating element	Two zones

Built-in hole	<a href="#">View technical data sheet</a>
---------------	---

Width	38 cm
-------	-------

Cooking plate	Satin steel
---------------	-------------

Total power	2.800 W
-------------	---------

Up	1.400 W
----	---------

Down	1.400 W
------	---------

Power settings	9 power settings per zone
----------------	---------------------------

Safety	Safety equipment
--------	------------------

Type	Induction Hob
------	---------------

Type of commands	Touch Control
------------------	---------------

Cooking zones	2 independent zones
---------------	---------------------



Notes:	Pre-set temperatures for cleaning the product, for optimal cooking of fish recipes, and for perfect meat cooking.
--------	---

## FEATURES


Bridge zone	The new cooktops with Bridge function allow to associate two zones forming a single extended cooking zone for pots of large size, or for more than one cooking simultaneously, with maximum flexibility in pot positioning. With the additional Double Booster feature provided by all Bridge cooktops, the exceptional 3700 W power can be concentrated on a single plate or made available uniformly over the enlarged area.
-------------	--

Recall	This feature allows you to call back the last settings selected in the previous cooking.
End-of-cooking programming	All operations are programmed by means of the touch-control on the glass itself. Each cooking plate is capable of independent programming, and thus the possibility to set different cooking times.
Timer	Indipendent timer from the end-of-cooking function.
Slider commands	The Slider control allows for extremely quick temperature setting: with a light touch of the finger you may select the desired power level on the TOUCH display.
Smart fan system	Correct ventilation is essential for the induction hob to function in the best possible way. The Foster system automatically regulates the amount of ventilation to suit the temperatures reached.
Pause	Useful function that allows you to distract your attention from cooking, interrupting and restoring the settings immediately.
Safety	All electric cooker hobs feature the most modern and sophisticated safety protections: Centralised power-off function; Child-proof safety lock; Residual heat warning lights. Induction models feature the following functions: Safety System that turn off the hob in the absence of the pot; Overflow detector that automatically turns off the plate in case of liquid overflow; Automatic deactivation to prevent accidents caused by forgetfulness.

## TECHNICAL DATA



Cut out size  
Dimensioni per foratura top




- Built-in cut out for FTS – Foratura per installazione FTS

## OPTIONAL ACCESSORIES



**Spacer for Domino elements**  
8320 000

## RECOMMENDED PAIRINGS



**Cooker hob S4000 Domino**  
**Induction**  
7341 655



**Hood S4000 Domino Ghost**  
2451 000



**Sink S4001 Filotop**  
3365 050