


Hood Sunset



Hoods

Code: 2446 090



DETAILS

Material	Stainless steel + glass
----------	-------------------------

Texture	Brushed in line
---------	-----------------

Chimney height	Aspiring mode: 575-995 mm / filtering mode: 645-1065 mm
----------------	---

Energy class	A
--------------	---

Product details	Telescopic chimney
-----------------	--------------------

Grease filters	1 grease filtre
----------------	-----------------

Operation	Suction hood (filtering mode with optional carbon filters)
-----------	--

Air exhaust hole	ø 120/150 mm
------------------	--------------

Lighting	Lighting 2x2,1 W LED (4.000 kelvin)
----------	-------------------------------------

Air flow rate	620mc/h
---------------	---------

Motor power	220W
-------------	------

Hood type	Wall-mounted suction wood
-----------	---------------------------

Type of commands	Soft touch electronic controls
------------------	--------------------------------

Suction speed	4 operating speeds
---------------	--------------------


Notes:	Fume exhaust ducts must have an internal diameter not lower than 120 mm
--------	---

FEATURES

Auto delayed shutdown	All the models with electronic interface can be programmed to turn off the suction at a postponed moment, so as to prolong the aeration of the room even after the cooking has been completed.
-----------------------	--

Led lighting	Particular attention to energy saving with LED lighting systems. They assure a 10 times lower consumption and a 10 times longer duration. Our LED lights are designed to create an adequate comfort and safety in the cooking area.
--------------	---


TECHNICAL DATA




OPTIONAL ACCESSORIES




Carbon filter
9700 517



Collector for 2 pipes
2523 000



Collector for 3 pipes
2524 000



Collector for 4 pipes
2525 000



Flexible silencing canalization
9700 602



Flexible silencing canalization
9700 603