

## Hood New Sky 100 bianco

Hoods

Code: 2522 110



### DETAILS

Coloring White

---

Material Stainless steel

---

Texture Painted

---

Energy class A+

---

Ceiling – false ceiling distance min 200 mm / max 280 mm

---

Grease filters 2 grease filters

---

Operation Suction hood (filtering modality not available)

---

Cut out

---

Air exhaust hole 230x80 mm


---

Motors	Brushless
Air flow rate	930mc/h
Motor power	85W
Hood type	Ceiling suction hood
Type of commands	Remote control
Suction speed	4 operating speeds
Notes:	Rounded edges Supplied: Schuko electric plug

## FEATURES

360° swiveling motor	Swiveling motors are flexible systems that allow an easy installation, in any situation.
Auto delayed shutdown	All the models with electronic interface can be programmed to turn off the suction at a postponed moment, so as to prolong the aeration of the room even after the cooking has been completed.
Brushless motor	State-of-the-art Brushless motors allow high air flow rates while maintaining a low energy consumption. Furthermore, they have an almost never-ending duration.
Perimetric aspiration	The perimeter suction is a feature common to many Foster hoods. The filters are hidden by steel- or crystal plates and the suction occurs along their perimeter. This has aesthetic advantages but also functional ones: the cleaning is easier, the suction power and noise-level are improved. The depression which occurs in the perimeter area facilitates in fact the suction of the particles composing the fumes.
Remote control	The ceiling suction systems and the Maya hoods are equipped with a remote control to easily activate all their functions from any position.

## TECHNICAL DATA




## GALLERY



## OPTIONAL ACCESSORIES



Active charcoal refill for Long Life filter




Grid for plinth gray color



Horizontal 15° Corner connector - rectangular section



No-return valve



Professional Long Life charcoal filter



Rectangular/round adapter



White connector - rectangular section



White flexible tube with rectangular section



White Horizontal 90° Corner connector - rectangular section



White tube - rectangular section



White Vertical 90° Corner connector - rectangular section