

Cooker hob Ceramik



Gas hobs

Code: 7038 632



DETAILS

Coloring Black

Edge/Installation Type Bevelled Edge - for flush-mount or over-mount installation

Material Ceramic glass

Supply 220-240 V; 50/60 Hz

Dimensions 600x510 mm

Base size 60cm

Heating element Four burners

Built-in hole View technical data sheet

Grids Cast iron grids and enamelled burner covers

Width	60 cm
-------	-------

Total power	8.500 W
-------------	---------

Auxiliary	1.000 W
-----------	---------

Semirapid	2x1.750 W
-----------	-----------

Double crown	4.000 W
--------------	---------

Safety	Safety valve with quick-acting thermocouple
--------	---

Ignition	Electric ignition under knob
----------	------------------------------

Gas type	Tested for installation with natural gas, LPG nozzle set included.
----------	--

Type	Gas Hob
------	---------

FEATURES

Under-knob ignition	The utmost freedom of movement with electronic under-knob ignition, a common feature of all models that allows a one-hand ignition of the burner.
---------------------	---

Flat burners	Flat burners: 20% gas savings. They guarantee an efficiency well above the European standards. Furthermore, the improved combustion of gas allows the development of higher powers. The aesthetic is particularly accurate thanks to the ring with steel finish that stands out on the black background and the low thickness.
--------------	--

Special burners	Many Foster hobs are equipped with special burners, with two or three rings of fire that greatly increase the power delivered and the heated surface. In the DUAL models the two fire crowns also have independent ignition, making these burners perfect for both intensive and delicate cooking.
-----------------	--


Safe cooking


All Foster cooker hobs are equipped with safety valves. They shut off the gas supply very quickly if the flame accidentally goes out.

Cast iron grids

Cast-iron is the ideal material for an hob grid, this due to the manifold properties characterising it: high heat capacity that improves cooking performance; high weight and stability that improve safety; sturdiness that preserves the hob's original aspect over time; easy cleaning.

TECHNICAL DATA





- Built-in cut out for FTS - Foratura per installazione FTS

OPTIONAL ACCESSORIES



Cast iron wok support
9601 727

RECOMMENDED PAIRINGS



Hood Stripe
2450 090



Sink S4001 Filotop
3365 050