

Cooker hob Veronika filotop 7367 032

Cooker hobs

Code: 7367 032



DETAILS

Finish	Foster brushed
Material	AISI 304 stainless steel
Texture	Satin
Supply	220-240 V; 50.60 Hz
Edge/Installation Type	Flush-mount Top-mount
Dimensions	773x513 mm
Base size	77cm
Heating element	Five burners
Built-in hole	View technical data sheet (for all Flush-mount / Top-mount models and Under-mount models)

Grids	Cast iron grids and enamelled burner covers
-------	---

Total power	10.600 W
-------------	----------

Auxiliary	1.100 W
-----------	---------

Semirapid	2x1.750 W
-----------	-----------

Rapid	2x3.000 W
-------	-----------

Safety	Safety valve with quick-acting thermocouple
--------	---

Ignition	Electric ignition under knob
----------	------------------------------

Gas type	Tested for installation with natural gas, LPG nozzle set included.
----------	--

Type	Gas Hob
------	---------

FEATURES

Cast iron grids	Cast-iron is the ideal material for an hob grid, this due to the manifold properties characterising it: high heat capacity that improves cooking performance; high weight and stability that improve safety; sturdiness that preserves the hob's original aspect over time; easy cleaning.
-----------------	--


III series burners	III ^ series burners: 20% gas savings. They guarantee an efficiency well above the European standards. Furthermore, the improved combustion of gas allows the development of higher powers. From the point of view of safety, the blocking system between the cover and the flame-spreader guarantees perfect positioning and greater ease of cleaning.
--------------------	---


Safe cooking	All Foster cooker hobs are equipped with safety valves. They shut off the gas supply very quickly if the flame accidentally goes out.
--------------	---

Under-knob ignition

The utmost freedom of movement with electronic under-knob ignition, a common feature of all models that allows a one-hand ignition of the burner.

TECHNICAL DATA





- Built-in cut out for FTS – Foratura per installazione FTS

RECOMMENDED PAIRINGS



Hood KS Lux 2504 094



Sink Tornado 1079 660